NATIONAL AIR INTELLIGENCE CENTER



C FUNCTION RECOGNITION TECHNIQUE AND ITS IMPLEMENTATION IN 8086 C DECOMPILING SYSTEMS

bу

Chen Fuan, Liu Zongtian





19950608 004

Approved for public release: distribution unlimited

DTIC QUALITY INSPECTED 3

HUMAN TRANSLATION

NAIC-ID(RS)T-0023-95

26 May 1995

MICROFICHE NR: 95-000334

C FUNCTION RECOGNITION TECHNIQUE AND ITS IMPLEMENTATION IN 8086 C DECOMPILING SYSTEMS

By: Chen Fuan, Liu Zongtian

English pages: 20

Source: Xiaoxing Weixing Jisaunji, Vol. 12, Nr. 11,

1991; pp. 33-40; 47

Country of origin: China Translated by: SCITRAN

F33657-84-D-0165

Requester: NAIC/TATA/Keith D. Anthony Approved for public release: distribution unlimited.

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITO-RIAL COMMENT STATEMENTS OR THEORIES ADVO-CATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE NATIONAL AIR INTELLIGENCE CENTER.

PREPARED BY:

TRANSLATION SERVICES NATIONAL AIR INTELLIGENCE CENTER WPAFB, OHIO

NAIC- ID(RS)T-0023-95

Date 26 May 1995

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc. merged into this translation were extracted from the best quality copy available.

Accesion For				
NTIS CRA&I V DTIC TAB Unannounced Justification				
By				
Availability Codes				
Dist	Avail and for Special			
A-1				

1

C FUNCTION RECOGNITION TECHNIQUE AND ITS IMPLEMENTATION IN 8086 C DECOMPILING SYSTEMS

Chen Fuan Liu Zongtian

ABSTRACT

In 8086 C decompilation systems, we take pattern recognition principles and apply them to C function recognition. This article, first of all, analyzes C function component characteristics in object code. Following that, it introduces library function pattern recognition techniques in 8086 C decompilation systems, that is, C function recognition characteristic extraction, recognition pattern matching methods, and the establishment of library function characteristic code recognition tables. Finally, it introduces implementation methods associated with the library function recognition techniques in question in 8086 C decompilation systems.

I. INTRODUCTION

Decompilation system functions are to take machine language object code programs and transform them into functionally equivalent high level language programs, causing programs to be convenient to read, understand, modify, and protect.

Decompilation acts as a type of tool for software analysis and understanding. It is a key component part associated with software reverse work processes. It possesses important practical value.

We developed 68000 C decompilation systems on Dual-68000 micro machines [1]. The systems in question are capable of taking C compilation formed 68000 object code programs (containing symbol information such as overall variable names as well as library function names, and so on) and transforming them into C language programs. However, the majority of object code programs in actual use are ones which do not contain any symbol information. In order to increase the practicality of decompilation techniques, on PC machines, we developed C language decompilation systems aimed at 8086 object code programs not /34 carrying any symbol information and formed by C compilation (this

item is a subtask of national item 7-5, serial no. 68-4-3/01). As a result, there exist symbol restoration problems associated with variable names and library function names. On the foundation of component analysis carried out on object code programs formed by C compilation on PC machines, the symbol restoration plan we opted for the use of is: during decompilation processes associated with object code programs, apply pattern recognition principles to carry out C function recognition, thereby restoring library function symbol names utilized in programs, form compilation language programs having library function names, and, as far as restored variable names and data types are concerned, put them back into outcome symbol tables to construct phases of execution.

- II. C FUNCTION COMPONENT ANALYSIS IN OBJECT CODE PROGRAMS
 In order to recognize library functions in object code
 programs, first of all, one should understand the structural
 forms associated with object code program code composition,
 understand the forms of utilization associated with library
 functions in object code programs, and analyze code composition
 characteristics associated with library functions.
- 1. Structural Forms Associated with Object Code Program Code Composition

On IBM PC/AT micro machines, we dissected and analyzed object code programs formed by compilation with small memory patterns from Microsoft C(Ver.5.0) [3]. The code composition structural forms are:

(1) From offset address 10H to offset addresses associated with the beginning of program execution, one reduced storage unit is the machine code storage area associated with main function as well as user definition functions in C original programs—we designate it as program code area (see as shown in Fig.1).

```
_main:
         48AF:0010 _55 ....
                                                                                    PUSH .
                                                                                     MOV
                                                                                                                   BP, SP
                                             8BEC
          48AF:0011
                                                                                                                   AX,AX
                                                                                     XOR .
2st 48AF:0013 2
48AF:0015
                                              33C0 -
                                                                                                                   _chkstk (029E)
                                                                                      CALL
                                              E88602
                                                                                     CALL
                                                                                                                        function (0037)
      48AF:0018 E81C00
48AF:001B FF364200
                                                                                     PUSH
                                                                                                                    Word Ptr [0042]
                                                                                     MOV
          48AF:001F
                                                                                                                    AX,0274
                                               B87402
                                                                                                                                                                                                                        #include <stdio.h>
                                                                                     PUSH
          48AF:0022
                                               50
                                                                                                                       _printf (05E6)
                                              E8C005 ....
83C404
                                                                                     CALL
                                                                                                                                                                                                                         #include <io.h> .
  48AF:0023
48AF:0026
                                                                                                                   SP, +04
AX,0005
                                                                                      ADD
                                               B80500
                                                                                      MOV
          48AF:0029
                                                                                                                                                                                                                          char * str = "string";
                                                                                      PUSH
                                                                                                                    AΧ
          48AF:002C
48AF:002D
                                                                                                                         _close (11A0)
                                               E87011
                                                                                      CALL
                                                                                                                    SP.+02
          48AF:0030 83C40
48AF:0033 8BE5
48AF:0035 5D
                                                                                                                                                                                                                          main()
                                                                                       ADD
                                               83C402
                                                                                                                    SP,BP
                                                                                      MOV.
                                                                                                                                                                                                                                     function();
printf("%s",str);
close(5);
                                                                                      POP
                                                                                      RET
           48AF:0036 C3
                                                                                                                   function: 😘
                                                                                                             BP ...
                                                                                      PUSH
MOV
                                                                                                                                                                                                                      function() 😓 🛵 🍃
            48AF:0037 (355 1
                                                                                                                     BP,SP
                                                8BEC
           48AF:0038
                                                                                                                     AX,AX
                                                                                       XOR
                                                                                                                                                                                                                                      x = stremp(str, "string");
                                               33C0
            48AF:003A
                                                                                                                     _chkstk (029E)
AX,0278
                                                                                       CALL
MOV
                                                 E85F02
            48AF:003C
                                                 B87802
            48AF:003F
            48AF:0042
48AF:0043
                                                                                       PUSH
                                                                                                                       ΑX
                                                                                                                                                                                                  (b)
                                                                                                                                                                                                                           Original Program
                                                                                                                      Word Ptr[0042]
                                                 FF364200
                                                                                       PUSH
                                                                                                                     strcmp (15F2)
SP,+04
                                                                                                                                                                                                                            Example
                                                                                        CALL
            48AF:0047
                                                 E8A815
             48AF:004A
                                                 83C404
                                                                                         ADD
                                                                                                                      Word Ptr [0780],AX
             48AF:004D A38007
                                                                                        MOV
 48AF:0050 8BE5 MOV SP, BP POP BP CARE CONTROL OF THE POP BP CARE CONTROL OF
```

(a) Program Code Area Corresponding to Original Program

Fig.1 Program Code Area Example

- (2) Memory elements from program execution start addresses to the approximately 150 character segments which follow are machine code storage areas associated with common operations formed in C compilation—we designate them as main control code areas. The code zones in question, in various object code programs, all are stored and function the same. /35
- (3) Following main control code areas—to the conclusion of program code sections—are subprogram machine code storage areas associated with library functions or systems utilized during program execution. We designate all of these as library function code areas.

Structural forms associated with object code program code composition are as shown in Fig.2.

On the basis of the structural characteristics associated with object code program code composition—comparing it to C language program composition—in 8086 C decompilation systems, we only need to take program code areas which are decompiled into compilation language programs which correspond to main functions and user defined functions, and, in conjunction with this, go through main control code areas and find main function start offset addresses as well as utilizing library function code areas in order to recognize library functions utilized in programs.




Fig.2 Structural Forms Associated with Object Code Program Code Composition

Key: (1) Program Code Area (2) Main Control Code Area
(3) Library Function Code Area

2. Composition Forms Associated with C Library Functions in Object Code Programs

Through analysis of object code programs formed by C compilation, it is discovered that C library function utilization forms in object code programs as well as code composition characteristics are:

- 1) C library functions (excluding macro definition functions) all use subprogram forms to appear in object code programs. Library functions used in user programs all have subprogram code sections associated with corresponding functions in object code programs after going through compilation. In the same program, the same library function is used in multiple locations. However, corresponding library function code sections in object code programs, only appear once. The majority of subprograms corresponding to library functions are associated with insertion into sets and transfers.
- 2) C library function code is not influenced by compilation optimization. Moreover, library function code in the same program is not influenced by input parameters using different forms. However, in different programs, the same library function is used. Due to changes associated with variable parameter distribution addresses as well as transferred subprogram assembly addresses during compilation and linking assembly, it will lead to command codes to these addresses associated with certain uses in library function code to also produce variations. However, this is only command operation numbers producing changes. By contrast, operation code will not change. Therefore, command operation code sequences in library function code will not, under any circumstances, produce variations (see Fig.3 example).
- (3) Subprograms corresponding to C library functions used in programs have transfer input addresses which, in all cases,

appear in program code areas. They appear in the form of CALL Subroutine address commands. In this way, we are capable, with regard to program code area decompilation processes, of searching out various individual library function input addresses utilized for library function recognition uses (see Fig.1 example).

Starting out from the angle of library function recognition, we use the two standards of storage forms associated with library function code (main subprogram portion) in object programs and whether or not operation numbers in library function code contain variations. It is possible to take composition forms associated with C library function code and divide them into the three basic types below:

Continuous Not Deformed--This type of library function code is continuously stored in object code programs. Code does not contain such commands as use variable parameter addresses, subprogram transfers, or absolute transfers. As a result, no matter in what type of situation utilization is, library function code, in all cases, will not produce variations--for example, strcmp function code as shown in Fig.3(a).

Continuous Deformable--This type of library function code in object code programs is continuously stored. However, within code, there are contained certain commands such as utilization variable parameter addresses, subprogram transfers, and so on. As a result, following along with changes in variable distribution addresses as well as assembly addresses for transferred subprograms, operation number code corresponding to these commands will also produce variations--for example, code associated with printf function main subprogram sections as shown in 3(b).

Sectioned Deformable--This type of library function code is divided into certain sections and stored. The various sections

are put through transfer type functions for the sake of continuous execution. Basically, the code associated with the various sections belongs to a deformable type--for example, the code associated with close function main subprogram sections as shown in Fig.3(c).

```
_sgrcmp:
                       PUSH
                               BP
 48AF:15F2 55
            8BEC
                               BP,SP
 48AF:15F3
                      MOV -
            8BD7
                               DX,DI
BX,SI
  48AF:15F5
            8BDE
                       MOV
 48AF:15F7
  48AF:15F9
            8CD8
                       MOV
                               AX,DS
                              ES,AX
SI,Word Ptr [BP+04]
                       MOV
 48AF:15FB 8EC0
 48AF:15FD 8B7604
                       MOV :
            8B7E06
                       MOV
                               DI, Word Ptr [BP+06]
 48AF:1600
            33C0 ---
                               AX,AX
CX,FFFF
                       XOR-
 48AF:1603
                                                                 48AF:11A0 55 PUSH BP 48AF:11A1 8BEC MOV BP SP
48AF:1605
            B9FFFF
                       MOV
                                                                 __close: . .
                       REPNE-
                              SCASB
            F2AE
  48AF:1608
                       NOT
            F7D1
  48AF:160A
                                                                                        MOV BP,SP
                               DI,CX
                       SUB
  48AF:160C
                                                                   48AF:11A3 8B5E04
            2BF9 ....
                                                                                                BX.Word Ptr [BP+04]
                       REPZ
                               CMPSB
  48AF:160E
            F3A6 -
                                                                                               BX, Word Ptr [00C2]
                                                                                        CMP-
                                                                   48AF:11A6 3B1EC200
                                _strcmp+25 (1617)
  48AF:1610
            7405
                       JZ
                                                                             7206
                                                                                                _closc+12
                                                                                                           (\Pi B2)
                                                                                        JB
                       SBB
                               AX,AX
                                                                   48AF:11AA
  48AF:1612
            1BC0
                                                                                                AX,0900
                                                                                        MOV
                                                                   48AF:11AC B80009
                               AX,FFFF
                       SBB.
            1DFFFF
  48AF:1614
                                                                   48AF:11AF
                                                                                        STC
                                                                             F9
            8BF3
                       MOV
                               SI,BX
  48AF:1617
                                                                                                 close+1d (11BD)
                                                                                        JMP
                                                                   48AF:11B0
                                                                             EROB
                       MOV
                               Dİ,DX
            8BFA
  48AF:1619
                                                                                                AH,3E
                                                                                        MOV
                       POP
                               BP
                                                                   48AF:11B2
                                                                             B43E
  48AF:161B
            5D
                                                                                        INT.
                                                                                              · 21
__close+1d
                                                                   48AF:11B4
                                                                             CD21
                       RET
            C3
  48AF:161C
                                                                                                           (11BD)
                                                                   48AF:11B6
                                                                             7205
                                                                                        İB
                                                                             C687C40000 MOV
                                                                                                Byte Ptr [BX+00C4],00
                                                                   48AF:11B8
                                                                                                _dosrct0 (0560)
                                                                   48AF:11BD E9A0F3
                                                                                       JMP
 (a) sgrcmp code
                                                                                                  15: 114 14:
          __printf:
           48AF:05E6 55
48AF:05E7 8B
                                PUSH
                                                                 __dosret0:
                     8BEC
                                        BP,SP
                                MOV -
                                                                                                             (057.5)
                     83EC08
                                SUB
                                        SP,+08
                                                                   48AF:0560 7213
                                                                                       JB
                                                                                                 dosretax+2
           48AF:05E9
                                                                                                AX.AX
                                                                                        XOR
                                PUSH
                                        DI
                                                                   48AF:0562
                                                                             33C0
           48AF:05EC 57
                                                                                        MOY
                                                                                                SP.BP
                                PUSH.
                                        SI
                                                                   48AF:0564
                                                                             8BES
           48AF:05ED 56
48AF:05EE BE1001
                                                                                        POP
                                                                                                BP
                                                                                                             ' Ca
                                MOV
                                        S1,0110
                                                                   48AF:0566
                                                                             5D
                                                                                       PO.
RET<sub>.,</sub>
                                        AX, Word Ptr [BP+06]
                                                                             C3
                                LEA
                                                                   48AF:0567
                     8D4606
           48AF:05F1
                                        Word Ptr [BP-04],AX
           48AF:05F4 -8946FC
                                MOV
                                PUSH
           48AF:05F7
           48AF:05F8 E8BD01
                                CALL
                                         _stbuf
                                                (07B8)
                                        SP,+02
                                                                   __dosrelax+2:
                                ADD
           48AF:05FB 83C402
                                                                 48AF:0575 E80E00
                                                                                        CALL
                                                                                                 maperror+6 (0586)
                                MOV
                                        DI,AX
           48AF:05FE 8BF8
                                                                             BSFFFF
                                                                                        MOY
                                                                                                AX,FFFF
                                                                   48AF:0578
                                        AX, Word Ptr [BP+06]
                                LEA
                     8D4606
           48AF:0600
                                                                                        CWD
                                                                   48AF:057B
                                                                             99
                                       AX
Word Ptr [BP+04]
                                PUSH
           48AF:0603 50
                                                                                               SP,BP
                                                                   48AF:057C 8BE5
                                                                                        MOV
                     FF7604
                                PUSH
           48AF:0604
                                                                                                BP
                                                                                       POP
                                                                  :48AF:057E .5D
                                PUSH ,
           48AF:0607 v
                                                                 48AF:057F C3
                                                                                        RET
                                CALL
ADD
                     E85103
                                         _output
                                                   (095C)
           48AF:0608
                                        SP,+06
                     83C406
           48AF:060B
                                                                          (c) close main
                                        Word Ptr [BP-08],AX
                                MOV
PUSH
           48AF:060E 8946F8
                                                                          subprogram section
           48AF:0611 7 56
                                PUSH : DI
           48AF:0612
                                                                          code
                                                (0866)
                                          ſtbuſ
                                CALL
ADD
           48AF:0613 E85002
                                        SP,+04
AX,Word Ptr [BP-08]
                      83C404
           48AF:0616
           48AF:0619
                      8B46F8
                                MOV
                                POP
           48AF:061C
                                POP
                                        , DI
           48AF:061D
                                MOV
                                        SP.BP
                     8BE5
           48AF:061E
                                POP
           48 A F:0620
                                RET
           48AF:0621
           printf main subprogram section code
 (b)
```

Fig.3 C Library Function Code Composition Form Examples

Key: (1) Note: In the Fig., underlined sections represent operation numbers which can vary.

Taking C library codes and dividing them into these three classes of composition type is advantageous to the recovery of library function recognition characteristics and the establishment of pattern matching forms.

- III. C LIBRARY FUNCTION PATTERN RECOGNITION TECHNIQUES
- 1. Recovery of C Library Function Recognition Characteristics

Through analysis, we take command operation code sequences to act as C library function recognition characteristics. This is because:

- (1) No matter what composition type C library function codes are or under what conditions they are utilized, their command operation codes will not vary. Only certain command operation numbers are capable of producing changes;
- (2) Different library functions—due to differences in their functions—are composed of different command operation code sequences;
- (3) On the basis of 8086 command coding rules, in coding where command operation codes contain operation number types and addressing forms, in this way, operation number codes are eliminated from certain command codes. However, the total characteristics of operation number codes certainly have not yet disappeared.

In the recovery of C library function recognition characteristics, the method we opt for the use of is: under the principles of characteristic sufficiency, library function code primary and supplementary characteristics are both taken, that is, recovering primary characteristic codes from main subprogram bodies and also recovering supplementary characteristic codes

from the transfer function subprograms (if there are any). This is because: /37

- 1) there are a number of main subprogram sections associated with library functions which certainly do not reflect the functions realized, moreover, certain subprograms which they transfer still represent the functions of library functions;
- 2) there are a number of code sections which correspond to library functions which are very long; so long as there is a situation which avoids the inclusion of recovered characteristics code associated with different library functions, there is no need to take the whole code to act as characteristic recovery. This will increase the speed of library function pattern recognition.

In accordance with characteristic recovery methods associated with library function recognition discussed above, C library function code tables were established. For example, with regard to strcmp functions, we selected the complete command code to act as the recognition characteristic code. Moreover, with regard to printf functions, we took the main subprogram code and eliminated four changed operation number codes to act as the main characteristic recognition code. However, we selected the transferred subprogram code to act as supplementary characteristic recognition code. With regard to close functions, by contrast, we selected the various code sections composing main subprogram bodies and eliminated changed operation number codes to act as the recognition characteristic code (see Fig.3). On the basis of whether library function code recovery is complete or not, characteristic codes can be divided into complete types -- taking whole code to act as characteristic code, as well as compressed types--under the principles of characteristic sufficiency, taking sections of code to make up characteristic code. With regard to the three library function characteristic codes which are cited

as examples above, they all belong to the complete type. With regard to code sections which are too long and most supplementary characteristics, uniformly, they are handled like compression types.

2. Pattern Matching Methods Associated with C Library Function Recognition

On the basis of C library function code composition types and characteristic code recovery methods, we opt for the use of static matching and dynamic matching methods, respectively designing eight types of C library function code recognition pattern matching methods. Among them, there are four types associated with the handling of complete characteristic codes:

Complete Matching Methods—Opting for the use of static matching methods, library function characteristic codes indicating length and library function codes awaiting recognition in programs are taken to carry out equal length matching. This type of matching method is appropriate to handling continuous nondeformable types of library function recognition. It also fits recognition of library functions of continuous deformable types not containing supplementary characteristic codes. The reason is that, among characteristic codes selected by this type of library function, altered control number code is already not contained. We opted for the use of code section complete matching methods in order to carry out recognition of this type of library function.

Subprogram Matching Methods--On library function characteristic code and library function number code which waits to be recognized--after carrying out subprogram transfer code investigations--through dynamic execution of subprogram transfer commands in programs in order to precisely specify the subprogram entry address, one subsequently takes the entry addresses in

question and compresses them into queues. At the same time, one also takes supplementary characteristic matching pattern addresses (installed in advance) and compresses them into queues.

After waiting on main characteristic pattern matching, supplementary characteristic pattern matching is then carried out. This type of matching method is used in supplementary characteristic pattern processing in continuous deformable type library function recognition.

Direct Section Transfer Matching Methods—After carrying out subprogram transfer code inspections in library function characteristic codes and library function codes awaiting recognition, dynamic execution of transfer commands in programs is gone through in order to get start addresses for follow on code sections. At the same time, preinstalled follow on section matching pattern addresses are also picked up. They are respectively taken to function as the next library function code start address awaiting recognition and utilized in pattern matching as well as library function matching pattern addresses. This type of matching method is used in the handling of transfer situations between main body code sections during recognition of sectioned deformable type library functions.

Branching Section Transfer Matching Methods—This type of method is used in the handling of branching code section transfer situations during sectioned deformable library function recognition. It obtains code start addresses for library functions awaiting recognition and library function matching pattern addresses. In method, it is the same as direct section transfer matching forms. What is different is that, in the forms in question, one takes these two addresses and compresses them into queues, waits until after main body code section pattern recognition and then carries out branching section processing.

With regard to the four types of complete form pattern matching methods, their common points are that amounts of offset associated with characteristic code addresses stored in characteristic code tables and amounts of offset between library function code awaiting recognition and start entry addresses are equal. The four types of pattern matching methods associated with the processing of compressed form characteristic codes are: compressed type complete matching forms; compressed type subprogram matching forms; compressed type direct section transfer matching forms; and, compression type branching section transfer matching forms.

These four types of matching forms, in terms of processing methods and processing objects, are the same as the corresponding complete type matching forms. What is different is that the amounts of offset associated with their characteristic code addresses stored in characteristic code tables and the amounts of offset associated with library function code waiting to be recognized and start entry addresses are not equal.

We utilize the pattern matching forms described above and set up pattern matching form tables associated with the recognition of various individual C library function characteristic codes. The majority of library function recognition pattern matching form tables are composed of several types of matching forms. For example, strcmp functions only utilize complete matching forms. However, printf functions utilize complete matching and subprogram matching forms (see as shown in Fig.5). close functions, by contrast, must utilize complete matching, direct section transfer, and branching section transfer matching forms.

3. C Library Function Characteristic Code Recognition Tables

In order to realize design concepts associated with C library function pattern matching recognition, in 8086 C decompilation systems, we set up a C library function characteristic code recognition table. It is nothing else than a gathering of library function matching patterns which the system can recognize. Each table element associated with the table in question represents a library function matching pattern. library function recognition, with regard to matching of table elements, we opted for the use of sequence search forms. Therefore, C library function characteristic code recognition table design is taken to be a single link table structure (see as shown in Fig.4). This is because, at the present time, there is no way, from library function code, to find prioritized search information. We are only able, on the basis of C language program writing experience, to take common library function matching patterns and store them in the front of tables. Levels of prioritized search are reflected in the order of arrangement sequencing of table elements.




Fig.4 C Library Function Characteristic Code Recognition Table Structure Schematic

Key: (1) Characteristic Code Table (2) Matching Form Table

Library function matching patterns are primarily composed of two sections—library function characteristic code tables and pattern matching form tables. Here, characteristic code tables are composed of recovered characteristic code sequences.

Moreover, pattern matching form tables are composed of pattern matching operation coding associated with library function recognition. It includes such information as pattern matching form coding, code matching start addresses in characteristic code tables, code matching length, as well as precise specification forms associated with code matching addresses in object code programs, and so on. For example, matching patterns associated with printf function recognition as shown in Fig.5.

Andrews (Marie of Aller)	DW DW DB	fprintf prt_code prt_matchprintf, 0 055H, 08BH, 0ECH,	083H, 0ECH, 0 08H
store ZMMA	DB DB	057H, 056H, 0BEH, 0 046H, 006H, 089H, 0 0E8H, 0BDH, 001H,	00EH, 001H, 08DH 46H, 0FCH, 056H
prt_match	DB DW DB DW DB DW DB DW DB DW DB DW DB DW DB DW	01H 0,09H 01H 08H,07H 03H 12H,01H,stbuf 01H 15H,0DH 03H 22H,01H,output 	

Fig. 5 Matching Patterns Associated with printf Function Recognition $\boldsymbol{\theta}$

IV. C LIBRARY FUNCTION PATTERN RECOGNITION REALIZATION

In 8086C decompilation systems, realization methods for C library function pattern recognition techniques are:

1. Decompilation and Establishment of Library Function Entry Address Tables

In processes associated with program code area decompilation, investigations are made of subprogram transfer commands and entry addresses are found in order to set up library function (including user defined functions) entry address tables utilized in programs, supplying library function recognition uses. First of all, the setting up of library function entry address tables is for the sake of reducing the repetitive nature of library function recognition. The reason is that there are a number of library functions in programs which are capable of being utilized multiple times.

2. C Library Function Recognition

On the basis of library function entry address tables, library function patterns associated with various entry address start codes and C library function characteristic code recognition tables are taken and sequence matching comparisons are carried out. If matching is successful with patterns of a particular library function, then, the library function name is taken and inserted into the corresponding library function entry address table column. Otherwise, matching continues to be carried out with the next library function pattern in the table. This continues right on until the recognition table is finished. Then, recognition failures enter a "Cannot Recognize" flag into the address table. After library function recognition operations are completed, the work of establishing library function recognition name tables is also finished (see as shown in Fig.6).

At this time, one again takes library function (including user defined function) name character strings in the tables in question and inserts them into the corresponding subprogram transfer commands in compilation language programs, producing compilation language programs carrying library function names.

1 库函数人口地址	2 识别的库函数名	
029EH	chkstk	
0037Н	unknown	
05Е6Н	printf	
11A0H	close	
15F2H	stremp	

Fig. 6 Library Function Recognition Name Table (Refer to Fig.1)

Key: (1) Library Function Entry Address (2) Recognized Library
Function Names




Fig.7 Library Function Pattern Matching Strategy Example

In pattern matching of library functions, with regard to library function patterns having main and supplementary characteristic codes, we opted for the use of depth right prioritized matching strategies, first of all, carrying out main characteristic matching. In conjunction with this, we took supplementary characteristic pattern addresses encountered in matching and compressed them into a queue. After successfully matching main characteristics, then, matching was carried out on supplementary characteristic patterns taken out of feed queues. This continued right along until the queue was empty and stopped.

In matching, as long as there is one instance of matching failure, then, it is a pattern matching failure of the library function in question. Taking printf function as an example, the pattern matching process is as shown in Fig.7. Library function recognition pattern matching algorithms are as shown in Fig.8. In the algorithm in question, only complete matching form, subprogram matching form, and direct section transfer matching form processing methods are given. Other matching forms can be obtained by analogy.

```
Procedure PATTERN_MATCH(SUBR_ADDR. FUNCTION_PATTERN, F_NAME);
                 get MATCH_TABLE_ADDR and CODE_TABLE_ADDR from FUNCTION_PATTERN;
                 loop
                 begin
            get MATCH_FLAG from MATCH_TABLE;
                    case MATCH_FLAG
              : end_flag: begin
                                                 if stack is empty
                                                     then begin
                                                               get F_NAME form FUNCTION_PATTERN;
                                                               return(true);
                                                               end
                                                 esle begin
                                                      get AUXILIARY_PATTERN from stack;
                                                               get MATCH_TABLE_ADDR and CODE_TABLE_ADDR
                                                              from AUXILIARY_PATTERN;
                                                              get SUBR_ADDR from stack;
                                                    end
end
                   ; comp_match: begin
              get offset and length from MATCH_TABLE;
match_addr=CODE_TABLE_ADDR+offset;
         prg_addr = SUBR_ADDR+offset;
cmp_falg = compare(prg_addr._match_addr._length);
                      if cmp_flag is false then return(false);
                                                   end;
               : subr_match: begin
                                                get offset and length from MATCH_TABLE;
        match_addr=CODE_TABLE_ADDR+offset;
        prg_addr = SUBR_ADDR+offset;
cmp_flag = compare(prg_addr, match_addr, length);
                                                       if cmp_flag is true
                                    then begin
                                                 get AUXILIARY_PATTERN from MATCH_TABLE;
get new_subr_addr by dynamic execution;
push new_subr_addr and AUXILIARY_PATTERN into stack;
end
                                                     clse return(false);
                                                  end;
                   jump_match: begin
                                                    get offset and length from MATCH_TABLE;
                                                   match_addr = CODE_TABLE_ADDR+offset;
                                                    prg_addr=SUBR_ADDR+offset;
                                           mr cmp_flag=compare(prg_addr. match_addr. length);
                                                     if cmp_flag is true
                                                     then begin
                                                     get sub_PATTERN from MATCH_TABLE;
                                                               get MATCH_TABLE_ADDR and CODE_TABLE_ADDR
                                                                   from sub__PATTERN;
                                                           get new SUBR_ADDR by dynamic execution:
                        Charles and control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control o
                                                                                                       clsc return(falsc);
end;
                                                                                                                         .
endcase;
end.
```

Fig.8 Library Function Recognition Pattern Matching Algorithm

V. CONCLUDING REMARKS

In 8086 C decompilation systems, C library function recognition programs already use 8086 compilation language and C language for realization. We already established characteristic code recognition tables having 64 common C library function matching patterns. Experimental program results clearly show that the library functions described above are all capable of being accurately recognized.

As far as the C library function pattern recognition techniques which we studied are concerned, it is possible to expand them to recognize all C library functions which possess independent subprograms. The range of C library functions which can be recognized follows along with enlargements of characteristic code recognition tables and expands. This type of method very greatly reduces the amount of statement translator device code analysis in decompilation systems. This is beneficial for variable data type recovery. It is possible to generalize into decompilation systems associated with other machine types and languages.

Problems which have been discovered now are: how to recognize macro definition functions such as getc and putc, etc. Macro definition functions have corresponding subprograms. However, main body command sequences show up in program code areas causing difficulties in their recognition during decompilation. Our tentative idea is that, after recognizing the subprograms contained in macro definition functions, we opt for the use of methods associated with the recalling of command sequences in recognized program code areas in order to carry out the recognition of macro definition functions.

REFERENCES

- (1) 刘宗田、朱逸芬、符号执行技术在68000 C反编译程序中的应用, 计算机学报、1988、Vol.11, No.10, pp633-637. (2) 蔡元龙编,模式识别,西北电讯工程学院出版社,1986. (3) Microsoft C 5.0 Reference Book, Microsoft Corporation, 1987.

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

ORGANIZATION	MICROFICHE
BO85 DIA/RTS-2FI	1
C509 BALLOC509 BALLISTIC RES LAB	1
C510 R&T LABS/AVEADCOM	1
C513 ARRADCOM	1
C535 AVRADCOM/TSARCOM	1
C539 TRASANA	1
Q592 FSTC	4
Q619 MSIC REDSTONE	1
Q008 NTIC	1
Q043 AFMIC-IS	1
E051 HQ USAF/INET	1
E404 AEDC/DOF	1
E408 AFWL	1
E410 AFDIC/IN	1
E429 SD/IND	1
P005 DOE/ISA/DDI	1
P050 CIA/OCR/ADD/SD	2
1051 AFIT/LDE	1
PO90 NSA/CDB	1
2206 FSL	1

Microfiche Nbr: FTD95C000334

NAIC-ID(RS)T-0023-95